


Use And Care



NO-FROST REFRIGERATOR-FREEZERS

MODELS RT14DK RT14GD RT14DM RT14HK

A Note To You

Thank you for buying a Roper® appliance.

You purchased a quality, world-class home appliance. Years of engineering experience went into its manufacturing. To ensure that you enjoy many years of trouble-free operation, we developed this Use and Care Guide. It is full of valuable information on how to operate and maintain your appliance properly and safely. Please read it carefully. Also, please complete and mail the Ownership Registration Card provided with your appliance. This will help us notify you about any new information on your appliance.

Your safety is important to us.

This guide contains safety symbols and statements. Please pay special attention to these symbols and follow any instructions given. Here is a brief explanation of the use of each symbol.

AWARNING

This symbol will help alert you to such dangers as personal injury, burns, fire and electrical shock.

ACAUTION

This symbol will help you avoid actions which could cause product damage (scratches, dents, etc.) and damage to your personal property.

Our toll-free number, 1-800-44-ROPER (1-800-447-6737), is available 24 hours a day.

If you ever have a question concerning your appliance's operation, or if you need service, first see "If You Need Assistance Or Service" on page 18. If you need further help, feel free to call us. When calling, you will need to know your appliance's complete model number and serial number. You can find this information on the model and serial number label (see diagrams on page 4). For your convenience, we have included a handy place below for you to record these numbers, the purchase date from the sales slip and your dealer's name and telephone number. Keep this book and the sales slip together in a safe place for future reference.

Model Number	Dealer Name
Serial Number	Dealer Phone
Purchase Date	

IMPORTANT SAFETY INSTRUCTIONS

Important Safety Instructions

AWARNING

To reduce the risk of fire, electrical shock, or injury when using your refrigerator, follow these basic precautions:

- Read all instructions before using the refrigerator.
- Child entrapment and suffocation are not problems of the past. Junked or abandoned refrigerators are still dangerous ... even if they will "just sit in the garage a few days."

If you are getting rid of your old refrigerator, do it safely. Please read the enclosed safety booklet from the Association of Home Appliance Manufacturers. Help prevent accidents.

- Never allow children to operate, play with, or crawl inside the refrigerator.
- Never clean refrigerator parts with flammable fluids. The fumes can create a fire hazard or explosion.
 - FOR YOUR SAFETY •

DO NOT STORE OR USE GASOLINE OR OTHER FLAMMABLE VAPORS AND LIQUIDS IN THE VICINITY OF THIS OR ANY OTHER APPLIANCE. THE FUMES CAN CREATE A FIRE HAZARD OR EXPLOSION.

- SAVE THESE INSTRUCTIONS -

Help us help you


Please:

- Install and level the refrigerator on a floor that will hold the weight and in an area suitable for its size and use.
- Do not install the refrigerator next to an oven, radiator or other heat source.
- Do not use the refrigerator in an area where the room temperature will fall below 55°F (13°C).
- · Keep the refrigerator out of the weather.
- Connect the refrigerator only to the proper kind of outlet with the correct electrical supply and grounding. (Refer to the Electrical Requirements and Grounding Instructions Sheet.)
- Do not load the refrigerator with food before it has time to get properly cold.
- Use the refrigerator only for the uses described in this manual.
- Properly maintain the refrigerator.
- Be sure the refrigerator is not used by anyone unable to operate it properly.


PARTS AND FEATURES

Parts And Features

This section contains captioned illustrations of your appliance. Use them to become familiar with where all parts and features are located and what they look like.



Control panel



Before Using Your Refrigerator

In This Section	Page
Cleaning your refrigerator5	Installing it properly6
Plugging it In5	Leveling it6

It is important to prepare your refrigerator for use. This section tells you how to clean it, connect it to a power source, install it and level it.

Cleaning your refrigerator

Removing packaging materials

Remove tape and any inside labels (except the model and serial number labels) before using the refrigerator.

To remove any remaining glue:

 Rub briskly with your thumb to make a ball, then remove.

OR

 Soak area with liquid hand-dishwashing detergent before removing glue as described above. Do not use sharp instruments, rubbing alcohol, flammable fluids or abrasive cleaners. These can damage the material. See "Important Safety Instructions" on page 3. NOTE: Do not remove any permanent instruction labels inside your refrigerator. Do not remove the Tech Sheet fastened under the refrigerator at the front.

Cleaning it before use


After removing all packaging materials, clean your refrigerator before using it, if necessary. See cleaning instructions on pages 13 and 14.

Plugging it in

Recommended Grounding Method


A 115 Volt AC, 60 Hz., 15 or 20 ampere fused and properly grounded electrical supply is required. It is recommended that a separate circuit serving only this appliance be provided. Use a receptacle which cannot be turned off with a switch or pull chain. Do not use an extension cord.

See Electrical Requirements and Grounding Instructions Sheet in your Literature Package.



Installing it properly

- 1. Allow 3 inches (7.5 cm) between overhead cabinets and refrigerator top.
- Allow at least 1 inch (2.5 cm) between the refrigerator condenser on the back and the wall.
- 3. Allow ½ inch (1.25 cm) on each side of the refrigerator for ease of installation.
- 4. If the hinge side of the refrigerator is to be against a wall, you might want to leave extra space so the door can be opened wider.
- 5. Level your refrigerator.



Leveling it

Your refrigerator has 2 front, adjustable rollers to prevent rocking on uneven floors.


To adjust rollers:

- 1. Roll refrigerator into position.
- 2. Adjust rollers by turning the leveling screws, located at the front of the base.
 - Turn clockwise to raise.
 - Turn counterclockwise to lower.


NOTE: Rollers are adjusted correctly when the refrigerator no longer rocks when the doors are opened or closed.

Repeat this procedure whenever the refrigerator is moved.

NOTE: If you want the doors to close easier, use the rollers to raise the front of the refrigerator slightly.







Using Your Refrigerator

In This Section	Dogo
Page	Page
Setting the temperature control7	Using the automatic ice maker9
Adjusting the refrigerator	Changing the light bulb11
shelves8	Reversing the door swing11
Removing the crispers and cover8	Saving energy12
Using the ice cube trays9	Understanding the sounds you may hear12


To obtain the best possible results from your refrigerator, it is important that you operate it properly. This section tells you how to set the controls, remove and adjust some of the features in your refrigerator, and how to save energy.

Setting the temperature control

The Temperature Control is in the refrigerator. It controls the temperature in both the refrigerator and freezer compartments. When you plug in the refrigerator for the first time:

- 1. Set the Temperature Control to 3 (normal).
 - Temperature Control adjustments range from 1 (warmest) to 5 (coldest).
 - NOTE: Turning the Temperature Control to OFF stops cooling in both the refrigerator and freezer compartments, but it does not disconnect the refrigerator from the power supply.
- 2. Give the refrigerator time to cool down completely before adding food. This could take several hours.
- Adjust the Temperature Control to have food as cold as you like. The settings indicated above should be correct for normal, household refrigerator usage.

NOTE: The built-in exterior moisture control continuously guards against moisture build-up on the outside of the refrigerator.



USING YOUR REFRIGERATOR:

Adjusting the refrigerator shelves


Adjust refrigerator shelves to match the way you use your refrigerator.

To remove the shelves:

- 1. Remove items from the shelf.
- 2. Slide shelf straight out to the stop.
- 3. Lift back of shelf over stop.
- 4. Slide shelf out the rest of the way.

To replace the shelves:

- Slide back of shelf into shelf track in wall of cabinet.
- 2. Guide front of shelf into shelf track.
- 3. Slide shelf in all the way.



Removing the crispers and cover

To remove the crispers:

- 1. Slide crisper straight out to the stop.
- 2. Lift the front.
- 3. Slide out the rest of the way.
- 4. Replace in reverse order.


To remove the cover:

- 1. Lift cover front and remove the cover support.
- 2. Lift cover up and slide out.

To replace the cover:

- 1. Fit cover tabs into lowest cabinet slots and push in. Lower the front retainers into place.
- Insert cover support (with the long tab toward the front) into the groove on the underside of the cover.

NOTE: If the support needs adjustment, turn base clockwise to raise or counter clockwise to lower.






Using the ice cube trays

(RT14DK, RT14GD and RT14HK)

If cubes are not used, they may shrink. The moving cold air starts a slow evaporation. The longer cubes are stored, the smaller they get.

To remove ice:

- 1. Hold tray at both ends.
- 2. Twist slightly.



Using the automatic ice maker


(Optional on RT14DK, RT14GD and RT14HK, factory-installed on RT14DM)

If you have an automatic ice maker, or if you plan to add one later (Part No. IMKIT), here are a few things you will want to know:

- For models RT14DK, RT14GD and RT14HK: The aluminum water inlet tube, supplied with your refrigerator, is in the bottom rear of the refrigerator, on the compressor support plate. Use this tube instead of the tube provided in the accessory kit.
- The ON/OFF lever is a wire signal arm.
 DOWN to make ice automatically
 UP to shut off the ice maker

IMPORTANT: Do not turn on the ice maker until it is connected to the water supply. Instructions for ice maker water supply hook up are attached to the back of the refrigerator cabinet.

- The dial or lever on the side of the ice maker changes the size of the cubes.
- You may hear water running when the ice maker is working. You'll hear ice falling into the bin. Don't let these sounds bother you.
- If you remove the ice bin, raise the signal arm to shut off the ice maker. When you replace the bin, push it in all the way and lower the ice maker signal arm to the ON position.



 Good water quality is important for good ice quality. Try to avoid connecting the ice maker to a softened water supply. Water softener chemicals (such as salt from a malfunctioning softener) can damage the ice maker mold and lead to poor ice quality. If a softened water supply cannot be avoided, make sure the water softener is operating properly and well maintained.

USING YOUR REFRIGERATOR

Common ice maker problems

PROBLEM	CAUSE	SOLUTION
ice crescents attached at corners	This is normal	They break apart easily.
ice maker won't make ice	ON/OFF lever in the OFF (up) position Freezer not cold	I/love ON/OFF lever to the ON (down) position. Ice maker will not operate until freezer is
	enough	cold enough to make ice. This could take overnight.
Off-taste or odor in ice	 Ice attracts airborne odors; old ice 	Oump old ice and make a new supply. Store excess ice in a covered container.
	 Poor water quality 	 Vater containing minerals (such as sulfur) rnay require a filter. Try to avoid softened water supplies.
	 Foods not properly wrapped 	 \Vrap food properly. See pages 16 and 17.
	 Ice bin and freezer need cleaning 	 Clean freezer and ice bin. See cleaning chart on page 13.
	Plumbing to ice maker	 Follow Installation Instructions for proper ice maker water supply hookup. (See back of refrigerator cabinet.) Try to avoid softened water supply.
	New ice maker	First few batches of ice from a new ice niaker may have an off-taste. Dump ice and make a new supply.

Changing the light bulb

AWARNING


Electrical Shock Hazard

Before removing a light bulb, either unplug the refrigerator or disconnect the electricity leading to the refrigerator at the main power supply. Turning the Temperature Control to the OFF position does not disconnect the refrigerator from the power supply. Failure to do so could result in electrical shock or personal injury.

To change the refrigerator light:

- 1. Disconnect refrigerator from power supply.
- 2. Reach behind the Control Panel to remove bulb.
- 3. Replace with a 40-watt appliance bulb.
- 4. Reconnect refrigerator to power supply.

NOTE: Not all commercial appliance bulbs will fit your refrigerator. Be sure to replace a bulb with one of the same size, wattage and shape.



Reversing the door swing

You can change the hinges on your refrigerator so the doors open the other way. Refer to the instruction sheet included with your refrigerator.

CARING FOR YOUR REFRIGERATOR

Saving energy

You can help your refrigerator use less electricity.

- Check door gaskets for a tight seal. Level the cabinet to be sure of a good seal.
- Clean the condenser coils regularly.
- Open the door as few times as possible.
 Think about what you need before you open the door. Get everything out at one time. Keep food organized so you won't have to search for what you want. Close door as soon as food is removed.
- Go ahead and fill up the refrigerator, but don't overcrowd it so air movement is blocked.
- It is a waste of electricity to set the refrigerator temperature colder than it needs to be. If ice cream is firm in the freezer and drinks are as cold as your family likes them, that's cold enough.
- Make sure your refrigerator is not next to a heat source such as a range, water heater, furnace, radiator or in direct sunlight.

Understanding the sounds you may hear

Your new refrigerator may make sounds that your old one didn't. Because the sounds are new to you, you might be concerned about them. Don't be. Most of the new sounds are normal. Hard surfaces like the floor, walls and cabinets can make the sounds seem louder.

The following describes the kinds of sounds that might be new to you, and what may be making them.

Slight hum, soft hiss

You may hear the refrigerator's fan motor and moving air.

Clicking or snapping sounds

The thermostat makes a definite click when the refrigerator stops running. It also makes a sound when the refrigerator starts. The defrost timer will click when the defrost cycle starts.

Viater sounds

When the refrigerator stops running, you may hear gurgling in the tubing for a few minutes after it stops. You may also hear defrost water running into the defrost water pan and sizzle during defrost cycles.

lee maker sounds

- trickling water
- thud (clatter of ice)

If your refrigerator has an ice maker, you may hear buzzing (from the water valve), trickling water and the clatter of ice dumped into the bin.

Caring For Your Refrigerator

In This Section	Page
Cleaning your refrigerator13 Vacation and moving care14	Power interruptions15

Your refrigerator is built to give you many years of dependable service. However, there are a few things you can do to help extend its product life. This section tells you how to clean your refrigerator and what to do when going on vacation, moving or during a power outage.

Cleaning your refrigerator

Both the refrigerator and freezer sections defrost automatically. However, clean both about once a month to prevent odors from building up. Wipe up spills right away.

To clean your refrigerator, turn the Refrigerator Control to OFF, unplug it, take out all removable parts and clean the refrigerator according to the following directions.

AWARNING

Personal Injury Hazard

Refrigeration system tubes are located near the defrost pan and can become not. Remove and install defrost pan carefully.

Failure to do so could result in personal injury.

PART	WHAT TO USE	HOW TO CLEAN
Removable parts (shelves, crisper, etc.)	Sponge or cloth with mild detergent and warm water	 Hand wash, rinse and dry thoroughly.
Outside	Sponge, cloth or paper towel with mild detergent, warm water and an appliance wax (or good auto paste wax)	 Wash outside of cabinet. Do not use abrasive or harsh cleaners. Rinse and dry thoroughly. Wax painted metal surfaces at least twice a year. Apply wax with a clean, soft cloth. Waxing painted metal surfaces provides rust protection. Do not wax plastic parts.
Inside walls (allow freezer to warm up so cloth won't stick)	Sponge, soft cloth or paper towel with baking soda or mild detergent and warm water	 Wash with mixture of warm water and mild detergent, or baking soda (2 tablespoons [26 g] to 1 quart [.95 L] of water). Rinse and dry thoroughly.

continued on next page

CARING FOR YOUR REFRIGERATOR

PART	WHAT TO USE	HOW TO CLEAN
Door liners and gaskets	Sponge, soft cloth or paper towel with mild detergent and warm water	Wash, rinse and dry thoroughly. DO NOT USE cleaning waxes, concentrated detergents, bleaches or cleaners containing petroleum on plastic parts.
Plastic parts (covers and panels)	Soft, clean sponge or soft, clean cloth with mild detergent and warm water	 Wash, rinse and dry thoroughly. DO NOT USE paper towels, window sprays, scouring cleansers or flammable fluids. These can scratch or damage mailerial. See "Important Safety Instruc- tions" on page 3.
Defrost pan	Sponge or cloth with mild detergent and warm water	 Roll refrigerator out away from the wall. Wash, rinse and dry thoroughly. Do not remove the defrost pan to clean. Roll refrigerator back into place. Remember to leave 1 inch (2.5 cm) between the cabinet back and the wall. Make sure the refrigerator is level.
Condenser coils	Vacuum cleaner with extended narrow attachment	 R∈move base grille. Vacuum coils when dusty or dirty. Coils may need to be cleaned as often as every other month. R∈place base grille.
Floor under refrigerator	Floor cleaners	 Rcll refrigerator out only as far as the water supply line allows. Clean floor. Roll refrigerator back into place. Check to see if the refrigerator is level.

Vacation and moving care

Short vacations

No need to shut off the refrigerator if you will be away for less than four weeks.

- 1. Use up any perishables.
- 2. Freeze other items.
- 3. If your refrigerator has an automatic ice maker:
 - Raise the signal arm to the OFF (up) position
 - Shut off the water supply to the ice maker.
 - Empty the ice bin.

CARING FOR YOUR REFRIGERATOR

Long vacations

If you will be gone a month or more:

- 1. Remove all food from the refrigerator.
- 2. If your refrigerator has an automatic ice maker:
 - Turn off the water supply to the ice maker at least one day ahead of time.
 - When the last load of ice drops, turn off the ice maker. Make sure all ice is dispensed out of the ice maker mechanism.
- Unplug the refrigerator.
- 4. Clean it, rinse well and dry.
- Tape rubber or wood blocks to the tops of both doors to prop them open far enough for air to get in. This stops odor and mold from building up.

AWARNING

Personal Injury Hazard

Do not allow children to climb on, play near or climb inside the refrigerator when the doors are blocked open. They may become injured or trapped.

To restart refrigerator, see "Using Your Refrigerator" on page 7.

Moving

When you are moving the refrigerator to a new home:

- If your refrigerator has an automatic ice maker:
 - Turn off the water supply to the ice maker at least one day ahead of time.
 - Disconnect the water line.
 - After the last load of ice drops, lift the signal arm to the OFF (up) position.
- 2. Remove all food from the refrigerator.
- 3. Pack all frozen food in dry ice.
- 4. Unplug the refrigerator.
- 5. Clean it thoroughly. Rinse well and dry.
- Take out all removable parts, wrap them well, and tape them together so they don't shift and rattle.
- 7. Screw in the leveling rollers.
- 8. Tape the doors shut and tape the power supply cord to the cabinet.

V/hen you get to your new home, put everything back and refer to page 5. Also, if your refrigerator has an automatic ice maker, remember to reconnect the water supply line.

Power interruptions

If electricity goes off, call the power company. Ask how long power will be off.

- If service is to be interrupted 24 hours or less, keep both doors closed. This helps foods stay frozen.
- 2. If service will be interrupted longer than 24 hours:
 - (a) Remove all frozen food and store in a frozen food locker.

OR

(b) Place 2 lbs. (0.9 kg) of dry ice in freezer for every cubic foot of freezer space. This will keep food frozen for 2 to 4 days. Wear gloves to protect your hands from dry ice burns.

CR

- (c) If neither a food locker or dry ice is available, use or can perishable food at once.
- 3. A full freezer stays cold longer than a partly filled one. A freezer full of meat stays cold longer than a freezer full of baked goods. If food contains ice crystals, it may be safely refrozen, although the quality and flavor may be affected. If the condition of the food is poor, or if you feel it is unsafe, dispose of it.

Cluestions ?

Call our toll-free telephone number, 1-800-44-ROPER.

Food Storage Guide

There is a correct way to package and store refrigerated or frozen food. To keep food fresher, longer, take the time to study these recommended steps.

Storing fresh food

Wrap up or store food placed in the refrigerator in airtight and moisture-proof material. This prevents food odor and taste transfer throughout the refrigerator. For dated products, check code date to ensure freshness.

Leafy vegetables

Remove store wrapping and trim or tear off bruised and discolored areas. Wash in cold water and drain. Place in plastic bag or plastic container and store in crisper.

Vegetables with skins (carrots, peppers)

Store in crisper, plastic bags or plastic container.

Fruit

Wash, let dry and store in refrigerator in plastic bags or crisper. Do not wash or hull berries until they are ready to use. Sort and keep berries in their store container in a crisper, or store in a loosely closed paper bag on a refrigerator shelf.

Eggs

Store without washing in the original carton on interior shelf.

Milk

Wipe milk cartons. For best storage, place milk on interior shelf.

Butter or margarine

Keep opened butter in covered dish or closed compartment. When storing an extra supply, wrap in freezer packaging and freeze.

Cheese

Store in the original wrapping until you are ready to use it. Once opened, rewrap tightly in plastic wrap or aluminum foil.

Leftovers

Cover leftovers with plastic wrap or aluminum foil. Plastic containers with tight lids can also be used.

Meat

Store most meat in original wrapping as long as it is airtight and moisture-proof. Rewrap if necessary. See the following chart for storage times.

TYPE	APPROXIMATE TIME (DAYS)*
Chicken	1 to 2
Ground beef	1 to 2
Steaks and roasts	3 to 5
Cured meats	7 to 10
l3acon	5 to 7
Cold cuts	3 to 5
Variety meats	1 to 2

*When storing meat longer than the times given, follow the directions for freezing.

NC/TE: Use fresh fish and shellfish the same day as purchased.

Storing frozen food

The freezer section is designed for storage of commercially frozen food and for freezing food at home.

NOTE: For further information about preparing food for freezing or food storage times, contact your local Cooperative Extension Service or check a freezer guide or reliable cookbook.

Packaging

The secret of successful freezing is in the packaging. The way you close and seal the package must not allow air or moisture in or out. Packaging done in any other way could cause food odor and taste transfer throughout the refrigerator and drying of frozen food.

Packaging recommended for use:

- Rigid plastic containers with tight-fitting lids
- Straight-sided canning/freezing jars
- Heavy-duty aluminum foil
- Plastic-coated paper
- Non-permeable plastic wraps (made from a saran film)

Follow package or container instructions for proper freezing methods.

Do not use:

- Bread wrappers
- Non-polyethylene plastic containers
- Containers without tight lids
- Waxed paper
- Waxed-coated freezer wrap
- Thin, semi-permeable wrap

The use of these wrappings could cause food odor, taste transfer and drying of frozen food.

Freezing

Do not expect your freezer to quick-freeze any large quantity of food. Put no more unfrezen food into the freezer than will freeze within 24 hours (no more than 2 to 3 pounds of food per cubic foot of freezer space). Leave enough space for air to circulate around packages. Be careful to leave enough room at the front so the door can close tightly.

Storage times will vary according to the quality of the food, the type of packaging or wrap used (airtight and moisture-proof) and the storage temperature, which should be 0°F (-17.8°C).



Performance problems often result from little things you can fix without tools. Please read through "1. Before calling for assistance ..." below before calling for service on your appliance.

1. Before calling for assistance ...

Listed in this chart are the most common problems consumers run into with their appliances. Please read through this and see if it can solve your problem.

PROBLEM	CHECK THE FOLLOWING	
Your refrigerator will not operate	Is the power supply cord firmly plugged into a live circuit with prope voltage?	
	Has a household fuse or circuit breaker blown/tripped?	
	Is the Refrigerator Control s∈t to the OFF position?	
The lights do not work	Is the power supply cord firmly plugged into a live circuit with proper voltage?	
	Has a household fuse or circuit breaker blown/tripped?	
	Is a bulb burned out?	
The optional ice maker does not	Is the freezer cold enough to make ice? It could take overnight for the freezer to reach the proper temperature.	
work	Is the ON/OFF lever in the ON (down) position? (See page 9.)	
	Is the water valve turned on?	
	Does the water line have a clog or leak?	
You hear unfa-	Is something on top of or bell ind the refrigerator?	
miliar sounds or a rattling/jingling noise	Some new sounds are normal. See "Understanding the sounds you may hear" on page 12.	
There is water in the defrost pan	This is normal on hot, muggy days. Make sure the refrigerator is level so the pan does not overflow.	
The motor	Are the condenser coils dirty?	
seems to run too much	Has the door been open often? Has a large amount of food been added at one time? The motor naturally runs longer if these things happen.	
	Is it room hot? If the room is too warm, the motor runs longer to keep the unit cool.	

2. If you need assistance* ...

Call our toll-free telephone number. Dial free from anywhere in the U.S.A.:

1-800-44-ROPER (1-800-447-6737)

and talk with one of our trained consultants. The consultant can instruct you in how to obtain satisfactory operation from your appliance or, if service is necessary, recommend a qualified service company in your area.

For further information, write to:

Mr. William Clark

Consumer Assistance Representative

Roper Brand Appliances

2000 M-63

Benton Harbor, MI 49022

Please include a daytime phone number in your correspondence.

3. If you need service* ...

Contact the dealer from whom you purchased the appliance or the authorized servicer in your area. For help finding an authorized servicer in your area, call our toll-free telephone number in Step 2.

4. If you need FSP* replacement parts ...

FSF' is a registered trademark of Whirlpool Corporation for quality parts. Look for this symbol of quality whenever you need a replacement part for your Roper® appliance. FSF' replacement parts will fit right and work right, because they are made to the same exacting specifications used to build every new Roper appliance.

To locate FSP replacement parts in your area, refer to Step 3 above or call our toll-free.

telephone number in Step 2.

If you are not satisfied with how the problem was solved ...

- Contact the Major Appliance Consumer Action Panel (MACAP). MACAP is a group of independent consumer experts that voices consumer views at the highest levels of the major appliance industry.
- Contact MACAP only when the dealer, authorized servicer and Roper Brand
 Appliance warrantor have failed to resolve your problem.

Major Appliance Consumer Action Panel 20 North Wacker Drive Chicago, IL 60606

MACAP will in turn inform us of your action.

*When asking for help or service:

Please provide a detailed description of the problem, your appliance's complete model and serial numbers, and the purchase date. (See page 2.) This information will help us respond properly to your request.

ROPER' Refrigerator Warranty

LENGTH OF WARRANTY	WE WILL PAY FOR
FULL ONE-YEAR WARRANTY (from date of purchase)	FSP ^e replacement parts and repair labor to correct defects in materials or workmanship. Service must be provided by an authorized Roper service company.
FULL FIVE-YEAR WARRANTY (from date of purchase)	FSP replacement parts and repair labor for the sealed refrigeration system (compressor, evaporator, condenser, drier or connecting tubing) which we find to be defective in materials or workmanship. Service must be provided by an authorized Roper service company.

WE WILL NOT PAY FOR

A. Service calls to:

- 1. Correct the installation of your refrigerator.
- Instruct you how to use your refrigerator.
- 3. Replace house fuses or correct house wiring or plumbing.
- 4. Replace owner accessible light bulbs.
- B. Repairs when your refrigerator is used in other than normal, single-family household use.
- C. Pickup and delivery. Your refrigerator is designed to be repaired in the home.
- D. Damage to your refrigerator caused by accident, misuse, fire, flood, acts of God, or use of products not approved by us.
- **E.** Repairs to parts or systems caused by unauthorized modifications made to the appliance.

5/03

This Roper appliance is warranted by Whirlpool Convoration. Under no circumstances shall it be liable under this warranty for incidental or consequential damages and all implied warranties are limited to the same time period stated in the express warranties for Roper Brand Appliances. Some states do not allow the exclusion or limitation of incidental or consequential damages, or limitation of implied warranties, so this limitation or exclusion may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Outside the United States, a different warranty may also apply. For details, please contact your authorized Roper distributor or military exchange.

If you need service, first see the "Assistance or Service" section of this book. After checking "Assistance or Service," additional help can be found by calling our toll-free telephone number, 1-800-44-ROPER (1-800-447-6737), from anywhere in the U.S.A.

